

Hazardous Spillage Protection

Designed to protect the environment from **HAZARDOUS CHEMICAL** spillage.

Capacity 205 Litre. Galvanised or Painted. Horizontal / Vertical Storage.



DIRECT Basic HazMat ONLY
£ poa
 ORDER ▶ VK17-3706



DIRECT 4-Drum Painted ONLY
£ poa
 ORDER ▶ VK15-3008



DIRECT 4-Drum Galvanised ONLY
£ poa
 ORDER ▶ VK15-1008

Please Note: Optional Dispensing Rack Ref: VK17-1902 **£ poa**

1 Drum - Size with Feet W840 x D820 x H480 Size without Feet N/A

	Painted Ref	Price	Galvanised Ref	Price
Sump with Feet	VK15-3016	poa	VK15-1016	poa
Sump with Feet & Mesh grid	VK15-3017	poa	VK15-1017	poa

2 Drum - Size with Feet W1236 x D816 x H345 Without Feet W1236 x D816 x H345

	Painted Ref	Price	Galvanised Ref	Price
Sump Only	VK15-3001	poa	VK15-1001	poa
Sump with Feet	VK15-3003	poa	VK15-1003	poa
Sump with Mesh Grid	VK15-3002	poa	VK15-1002	poa
Sump with Feet & Mesh grid	VK15-3004	poa	VK15-1004	poa

4 Drum - Size with Feet W1236 x D1210 x H280 Without Feet W1236 x D1210 x H190

	Painted Ref	Price	Galvanised Ref	Price
Sump Only	VK15-3005	poa	VK15-1005	poa
Sump with Feet	VK15-3007	poa	VK15-1007	poa
Sump with Mesh Grid	VK15-3006	poa	VK15-1006	poa
Sump with Feet & Mesh grid	VK15-3008	poa	VK15-1008	poa



DIRECT 2-Drum Sump Painted ONLY
£ poa
 ORDER ▶ VK15-3001

Dispensing Racks

Description	Size mm	Order	Price
1x60 or 205ltr drum	600x600x380	VK17-1901	poa
2x60 or 205ltr drum	1180x600x380	VK17-1902	poa
3x60ltr drum only	1180x600x380	VK17-1903	poa



DIRECT Mobile Sump Cart ONLY
£ poa
 ORDER ▶ VK17-3109

Capacity 220 Ltr Min.

In accordance with the Environmental Agency Guideline on pollution "PPG2"

- Minimum 220 litre capacity.
- Size: 1340 x 860 x 430mm.
- Fitted with 2x swivel braked and 2x fixed castors.

Single Drum Dispensing Rack. available as an Optional Extra Ref: VK17-1901 **£ poa**

HazMat Station

Designed for both the storage and transportation of Water Hazardous Substances. Each unit is available with a range of optional extra shelf and rack fittings. Manufactured from steel and fitted with a glass fibre hood, each unit is also finished in a chemical resistant two pack polyurathane paint finish.



HazMat Stations

Description	Size L x Dmm	Order	Price £
Basic HazMat Station			
2 Drum			
Height Closed/Open	1380 x 900 - 1515 / 2000	VK17-3706	poa
With shelving			
for 2 x 60ltr drums	1380 x 900 - 1515 / 2000	VK17-3710	poa
4 Drum			
Height Closed/Open	1380 x 1340 - 1460 / 2000	VK17-3725	poa
With shelving			
for 2 x 60ltr drums	1380 x 1340 - 1460 / 2000	VK17-3731	poa
Accessories			
1x pair of shelf uprights		VK17-1910-000	poa
1x pair of shelf arms		VK17-1911-002	poa
Shelf grid full width		VC30-0075-001	poa
Shelf grid half width		VC30-0076-001	poa
1x drum support		VK17-1914-000	poa

All units are fitted with Heavy Duty gas shocks and locks as standard

Polysafe Euro Range

... Designed for the Safe Storage and Dispensing of Oils, Acids and Alkalis.

- **Durable and Versatile**
- **Manufactured from environmentally friendly Polyethylene**
- **Grids available in: Galvanised or Polypropylene**



DIRECT ONLY
Euro-W with Poly grid
£ 2po
ORDER ▶ VK220270

Polysafe Euro-W with Polyethylene grid and drum mount for 60ltr drum



DIRECT ONLY
Euro-W without grid
£ poa
ORDER ▶ VK220220

Polysafe Euro-W for placing small containers into



Euro-K with runner base



Euro-F with 4 x base feet

Polysafe Euro W

Description	L x D x H mm	Capacity ltr	Ref	Price
Euro-W Without grid	1230 x 830 x 320	230	VK220220	poa
Euro-W Galvanised grid	1230 x 830 x 320	230	VK220221	poa
Euro-W Polyethylene grid	1230 x 830 x 320	230	VK220222	poa
Polyethylene+B31 drum Mount	475 x 620 x 390	n/a	VK220911	poa

Polysafe Euro F/K Euro = 4 x base feet Euro K = runner base

Description	L x D x H mm	Capacity ltr	Ref	Price
Euro-F Without grid	1230 x 830 x 415	230	VK220230	poa
Euro-F Galvanised grid	1230 x 830 x 415	230	VK220231	poa
Euro-F Polyethylene grid	1230 x 830 x 415	230	VK220232	poa
Euro-K Without grid	1230 x 830 x 415	230	VK220260	poa
Euro-K Galvanised grid	1230 x 830 x 415	230	VK220261	poa
Euro-K Polyethylene grid	1230 x 830 x 415	230	VK220262	poa

Polysafe Sumps & Pallets



Polysafe Pallet 4 way fork entry with galvanised grid for 4 x 205ltr drums

DIRECT ONLY
PSP 2.4 Galvanised Grid
£ poa
ORDER ▶ VK220193

... Designed to accommodate 205 ltr drums of Acids and Alkalis.

- **Available in 2 and 4 drum options**
- **Galvanised or Polyethylene Grid**

Sumps

Description	L x D x H mm	Capacity ltr	Ref	Price
PSW 2.2 Without grid	1200 x 800 x 265	225	VK220181	poa
PSW 2.2 Galvanised grid	1200 x 800 x 265	225	VK220180	poa
PSW 2.2 Polyethylene	1200 x 800 x 265	225	VK220188	poa
PSW 2.4 Without grid	1200 x 1200 x 210	225	VK220191	poa
PSW 2.4 Galvanised grid	1200 x 1200 x 210	225	VK220190	poa
PSW 2.4 Polyethylene	1200 x 1200 x 210	225	VK220198	poa

Pallets

Description	L x D x H mm	Capacity ltr	Ref	Price
PSP 2.2 Without grid	1200 x 800 x 330	225	VK220182	poa
PSP 2.2 Galvanised grid	1200 x 800 x 330	225	VK220183	poa
PSP 2.2 Polyethylene	1200 x 800 x 330	225	VK220184	poa
PSP 2.4 Without grid	1200 x 1200 x 265	225	VK220192	poa
PSP 2.4 Galvanised grid	1200 x 1200 x 265	225	VK220193	poa
PSP 2.4 Polyethylene	1200 x 1200 x 265	225	VK220194	poa



Holds up to 6 x 60ltr drums

DIRECT ONLY
PSP 2.4 Without Grid
£ poa
ORDER ▶ VK220192

DIRECT ONLY
PSW 2.4 Galvanised Grid
£ poa
ORDER ▶ VK220190



Suitable for use on wooden pallets

IBC Stations & Pallets

... For the Safe Storage and Dispensing of Liquids from Bulk Product Containers

- **Designed specifically for use with 1000ltr Bulk Product Containers**
- **Combine storage and dispensing with a range of accessories**
- **Galvanised and Polyethylene Grids**



Ref: VK220115

Single Station with dispensing platform and Polyethylene grid. Dispensing platform with sloping surface ensures trouble free emptying of containers



For potential water pollutants in accordance with British Environmental regulations

Single Stations accommodate 1 IBC or 4 x 205ltr drums (not included)
 Double Stations accommodate 2 IBC's or 8 x 205ltr drums (not included)



IBC Pallet TCA painted with dispensing platform and splashguard

Plastic IBC Stations

Description	W x D x H mm	Capacity ltr	Ref	Price
Station Galvanised grid	1760 x 1410 x 660	1100	VK220110	poa
Station Poly grid & Disp Plat	1760 x 1410 x 1050	1100	VK220111	poa
Station Polyethylene grid	1760 x 1410 x 660	1100	VK220114	poa
Station Galv grids & Disp Plat	1760 x 1419 x 1050	1100	VK220115	poa
Station Poly grid & Can holder	1760 x 1419 x 660	1100	VK220116	poa
Duo Station Galv grid & Can holder	2480 x 1410 x 490	1100	VK220117	poa
Duo Station Galvanised grid	2480 x 1410 x 490	1100	VK220118	poa
Duo Station Polyethylene grid	2480 x 1410 x 490	1100	VK220119	poa
Can Carrier*	400 x 500 x 520*	74	VK220198	poa



Dispensing Tray
Ref: VK171930



IBC Pallet TC2F galvanised with 2 x dispensing platforms

Galvanised IBC Stations

Description	L x D x H mm	Capacity ltr	Ref	Price
TC-F Single	1350 x 13000 x 920	1170	VK171151	poa
TC-A Single with Platform	1350 x 1650 x 700	1140	VK171156	poa
TC-2F Double	2680 x 1300 x 485	1225	VK171161	poa
TC-2A Double with Platform	2680 x 1650 x 415	1295	VK171171	poa

Accessories - Models TCF/TCFA

Description	Ref	Price
Splashguard Galvanised	VK171931	poa
Disp Platform Galvanised	VK171933	poa
Dispensing Tray	VK171930	poa

Accessories - Models TC2F/TC2A

Description	Ref	Price
Splashguard Galvanised	VK171932	poa
Disp Platform Galvanised	VK171933	poa
Dispensing Tray	VK171930	poa

Painted IBC Stations

Description	L x D x H mm	Capacity ltr	Ref	Price
TC-F Single	1350 x 13000 x 920	1170	VK173151	poa
TC-A Single with Platform	1350 x 1650 x 700	1140	VK173156	poa
TC-2F Double	2680 x 1300 x 485	1225	VK173161	poa
TC-2A Double with Platform	2680 x 1650 x 415	1295	VK173171	poa

Drum and Storage Containers

Vertical Drum Storage - These units are available with either Sliding or Winged doors depending on specification. In addition, they can be supplied with a combination of Insulation, Heating or Ventilation, or fitted with Polyethylene sump liners for extreme chemicals, Acids and Alkalies.



DIRECT Drum Store 2000ltr ONLY
£ poa
 ORDER ▶ VL16-3145

DIRECT Drum Store 1000ltr ONLY
£ poa
 ORDER ▶ VL16-3105



Drum Stores

Nominal Capacity	Door Design	Ext. Dimensions W x D x Hmm	Int. Dimensions W x D x Hmm	Storage Levels	Capacity On Grids	Capacity Euro Pallets	Order Ref	Price £
1000ltr	Winged	3120 x 1450 x 2600	3000 x 1340 x 2290	1	10	6	VL16-3102	poa
1000ltr	Winged	3120 x 1450 x 3000	3000 x 1340 x 1275	2	20	12	VL16-3105	poa
2000ltr	Sliding	6240 x 1450 x 2600	3000 x 1340 x 2240	1	20	12	VL16-3142	poa
2000ltr	Sliding	6240 x 1450 x 3000	3000 x 1340 x 1250	2	40	24	VL16-3145	poa
2000ltr	Sliding	6240 x 1450 x 4500	3000 x 1340 x 1290	3	60	36	VL16-3151	poa

Note: Storage Capacity on Grids and Euro Pallets based upon 205Ltr Drums - All units available in a double deep design. Details available on request

Module Containers

Designed for general storage of Chemicals and Oils. Each unit can be fitted with racking, to suit the required mix of product.

Each unit is also available with side or end fitted doors.

Module Containers

Sump Capacity	Door Access	Ext. Dimensions W x D x Hmm	Galvanised Ref	Price £	Galvanised & Painted Ref	Price £
300ltr	Side	2170 x 1000 x 2350	VL53-1202	poa	VL53-3202	poa
1000ltr	Side	3000 x 2180 x 2350	VL53-1243	poa	VL53-3243	poa
1350ltr	End	2800 x 4000 x 2350	VL53-1253	poa	VL53-3253	poa
1350ltr	Side	2800 x 4000 x 2350	VL53-1254	poa	VL53-3254	poa
2000ltr	End	2800 x 6000 x 2350	VL53-1262	poa	VL53-3262	poa
2000ltr	Side	2800 x 6000 x 2350	VL53-1264	poa	VL53-3264	poa

DIRECT Module Container 2000ltr ONLY
£ poa
 ORDER ▶ VL53-3264

Module Container Accessories

Size W x Dmm	Shelf Upright	Shelf Arm	Grid Size	Order Ref	Price £
SHELVING					
1000 x 500	2	6	3x 1000mm	VL53-1910	poa
2000 x 500	3	9	3x 2000mm	VL53-1911	poa
RAMP				VL53-1921	poa

All units are available with a combination of Heating, Lighting or Ventilation. For flammable liquid storage - potential balancing (Spark Free) Ventilators and Explosion Zone rated lighting is installed for added protection.



DIRECT Module Container 1350ltr ONLY
£ poa
 ORDER ▶ VL53-1254