

We have shown the most popular options in this range of drum stands however all of the above can be supplied in any variation or combination to suit your particular needs: please phone our helpline.

Universal drum truck



or fibre drums. The welded construction of flat and tube steel will carry a 250kg load. Steelwork finished in red air dry enamel. 200 mm dia. cushion tyred wheels with roller bearings. Includes an adjustable quick release strap easily extending to the various drum sizes.



trolley and pouring stand. Supplied complete with four nylon drum rotation rollers and a drum retaining chain.



Circular drum dolley
of 10mm Internal dimension
only
only
ORDER VODY

Flat steel braces with 4 roller bearing nylon end wheels 75 mm dia. in swivel castor housings.


Drum Tilt Lever

Wide twin tubular handle. Cross member with rim hook.






Pallet loading drum truck Especially designed to assist loading



 Designed for the heaviest uses in industry both inside and outdoors, these rugged trucks are available in four options depending on their use. Choose either two or four wheel designs - both are strong however the extra rear swivel castors will give extra stability and manoeuvrability when fully loaded. The extra long handle creates good leverage with heavy drums.

- Strong tubular construction ...
- · Solid or pneumatic tyres ...
- Centre beam incorporates an adjustable drum retaining hook
- Rear support castor option ...

All models include a sliding centre section with a hook to firmly grasp the drum lip. Finished in red air dry enamel, fitted with red plastic hand grips as standard.









Palletised drum handling - page 164

Storage Direct


100,000 Storage + Handling Solutions

Hazardous Spillage Protection

Designed to protect the the environment from HAZARDOUS CHEMICAL spillage.

Capacity 205 Litre.
Galvanised or
Painted.
Horizontal /
VerticalStorage.





	Painted Ref	Price	Galvanised Ref	Price
Sump with Feet & Mesh grid	VK15-3016 VK15-3017	poa poa	VK15-1016 VK15-1017	

2 Drum - Size with Feet W1236 x D816 x H345 Without Feet W1236 x D816 x H345

	Painted Ref	Price	Galvanised Ref	Price
Sump Only	VK15-3001	poa	VK15-1001 pc	oa
Sump with Feet	VK15-3003	poa	VK15-1003 pc	oa
Sump with Mesh Grid	VK15-3002	poa	VK15-1002 pc	oa
Sump with Feet & Mesh grid	VK15-3004	poa	VK15-1004 pc	oa

4 Drum - Size with Feet W1236 x D1210 x H280 Without Feet W1236 x D1210 x H190

	Painted Ref	Price	Galvanised Re	f	Price
Sump Only	VK15-3005	poa	VK15-1005	poa	10° 21
Sump with Feet	VK15-3007	poa	VK15-1007	poa	
Sump with Mesh Grid	VK15-3006	poa	VK15-1006	poa	
Sump with Feet & Mesh grid	VK15-3008	poa	VK15-1008	poa	



Optional Dispensing Rack

Ref: VK17-1902 f


Dispensing Racks

2-Drum Galvanised

Description	Sizemm	Order	Price
1x60 or 205ltr drum	600x600x380	VK17-1901	poa
2x60 or 205ltr drum	1180x600x380	VK17-1902	poa
3x60ltr drum only	1180x600x380	VK17-1903	poa







Fitted with 2x swivel braked and 2x fixed castors.

Single Drum Dispensing Rack. available as an Optional Extra Ref: VK17-1901 £ DO3

HazMat Station

Designed for both the storage and transportation of Water Hazardous Substances. Each unit is available with a range of optional extra shelf and rack fittings. Manufactured from steel and fitted with a glass fibre hood, each unit is also finished in a chemical resistant two pack polyurathane paint finish. All units are fitted with Heavy Duty gas shocks and locks as standard



HazMat Stations

nazmat otations			
Description	Size L x Dmm	Order	Price £
Basic HazMat Station	i.e. 1.61		
2 Drum			
Height Closed/Open	1380 x 900 - 1515 / 2000	VK17-3705	poa
With shelving			
for 2 x 60ltr drums	1380 x 900 - 1515 / 2000	VK17-3710	poa
4 Drum			
Height Closed/Open	1380 x 1340 - 1460 / 2000	VK17-3725	poa
With shelving			Fig.
for 2 x 60ltr drums	1380 x 1340 - 1460 / 2000	VK17-3731	poa
Accessories			
1x pair of shelf uprights		VK17-1910-000	poa
1x pair of shelf arms		VK17-1911-002	poa
Shelf grid full width		VC30-0075-001	poa
Shelf grid half width		VC30-0076-001	poa
1x drum support		VK17-1914-000	poa

Drum and Storage Containers

Vertical Drum Storage - These units are available with either Sliding or Winged doors depending on specification. In addition, they can be supplied with a combination of Insulation,

Heating or Ventilation, or fitted with Polyethylene sump liners for extreme chemicals. Acids and Alkalies.





	•							
Nominal Capacity	Door Design	Ext.Dimensions W x D x Hmm	Int.Dimensions W x D x Hmm	Storage Levels	Capacity On Grids	Capacity Euro Pallets	Order Ref	Price £
1000ltr	Winged	3120 x 1450 x 2600	3000 x 1340 x 2290	. 1	10	6	VL16-3102	poa
1000ltr	Winged	3120 x 1450 x 3000	3000 x 1340 x 1275	2	20	12	VL16-3105	poa
2000ltr	Sliding	6240 x 1450 x 2600	3000 x 1340 x 2240	1	20	12	VL16-3142	poa
2000ltr	Sliding	6240 x 1450 x 3000	3000 x 1340 x 1250	2	40	24	VL16-3145	poa
2000ltr	Sliding	6240 x 1450 x 4500	3000 x 1340 x 1290	3	60	36	VL16-3151	poa

Note: Storage Capacity on Grids and Euro Pallets based upon 205Ltr Drums - All units available in a double deep design. Details available on request

Module Containers

Drum Stores

Designed for general storage of Chemicals and Oils. Each unit can be fitted with racking, to suit the required mix of product.

Each unit is also available with side or end fitted doors.

Module Containers						
Sump Capacity	Door Access	Ext.Dimensions W x D x Hmm	Galvanised Ref	Price £	Galvanised & Painted Ref	Price £
300ltr	Side	2170 x 1000 x 2350	VL53-1202	poa	VL53-3202	poa
1000ltr	Side	3000 x 2180 x 2350	VL53-1243	poa	VL53-3243	poa
1350ltr	End	2800 x 4000 x 2350	VL53-1253	poa	VL53-3253	poa
1350ltr	Side	2800 x 4000 x 2350	VL53-1254	poa	VL53-3254	poa
2000ltr	End	2800 x 6000 x 2350	VL53-1262	poa	VL53-3262	poa
2000ltr	Side	2800 x 6000 x 2350	VL53-1264	poa	VL53-3264	poa

Module Container Accessories							
Size W x Dmm	Shelf Upright	Shelf Arm	Grid Size	Order Ref	Price £		
SHELVING			15 11				
1000 x 500	2	6	3x 1000mm	VL53-1910	poa		
2000 x 500	3	9	3x 2000mm	VL53-1911	poa		
RAMP		138		VL53-1921	poa		

All units are available with a combination of Heating, Lighting or Ventilation. For flammable liquid storage - potential balancing (Spark Free) Ventilators and Explosion Zone rated lighting is installed for added protection.





Practical robust storage for both inside nd out

A strong and flexible system to store your rums. Designed to fit 200/220 litre steel rums in pallets that can be easily stacked with fork trucks.

Each pallet will hold two or three drums and can be stacked up to three high.

ogether with this we have added a full range f essential accessories to turn these pallets nto a complete system. Choose from:

. A steel liquid tight sump unit that can also e handled by a fork truck for efficient and lean waste disposal.



apacity 250 litres - formed from 3mm sheet steel with fully elded seams. Ground clearance 100mm

Drum rotation sets that can be added at ny time to the pallet.




he zinc plated unit simply drops securely onto pallet beams

. Leak dispenser unit that can be placed onto he pallet directly underneath the drum to

H330 x W340 D290mm



omponent	Ref	Price £
Sump Unit	VDS2	poa
Drum rotation set (per drum)	VDSS-RO	poa
Dispenser stand (each)	VCH-2	poa



Tubular welded steel construction for hard rugged use and suitable for 210 litre steel drums. Stacks a maximum of 3 units high, with total maxi-1000 kg mum load 1000 kg complete with sheet steel fork sleeves. Drum Pallet Unit Length 1350 x Width 600

Stacking Drum Pallet () System

The sytem goes much further to include specially designed units for nonstandard drum sizes. If you do not see exactly what you need for your requirements

please phone our Helpline



Pallet